## Every second spent playing my 6-string is pure pleasure, Its tone resonates throughout my body. Clear and pure acoustic sound connects with my soul.

In our pursuit for the perfect sound, we have gone beyond looking for a better way to simply "amplify" acoustic tone, and focused on delivering true tone, without alteration, directly from the line out jack.

With this, we've added a newly developed pickup system to our electric acoustic guitar lineup. This new system is featured mostly on our LL series guitars, which is highly acclaimed for its rich, expressive tone and high quality sound. Our A.R.T. pickup system, which lets you adjust the amount of body resonance present in the sound, offers the most natural, dynamic and expressive electro-acoustic tone possible. We've also added our new SRT pickup system, which offers studio quality tone, without alteration, directly from the line out jack. Both of these advanced systems deliver beautiful acoustic tone that can be utilized even while playing live with a band.







# A SERIES TRADITIONAL WESTERN BODY CUTAWAY & SMALL BODY CUTAWAY NEW




A Series electric acoustic guitars deliver tone quality and playability suprassing anything in their class. The series is available in two body shapes with a choice of rosewood or mahogany back and sides so you can select the blend that best fits your tone and performance needs. Details such as string height, string spacing, neck shape, neck finish, and neck taper designs focus on providing the left hand with the utmost in playability and comfort. All wood binding and a uniquely shaped pickguard offer a touch of class while Yamaha's advanced SRT pickup system delivers outstanding tone (A3 series).

Model	A3R	AC3R	A3M	AC3M	AlR	AC1R	AlM	AC1M
Top		Solid Sitka Spruce						
Back / Side	Rose	Rosewood Mahogany Rosewood Mahogany			gany			
Neck				Maho	ogany			
Soundhole Rosette	Wood Black & White Multi							
Body Binding	Mahogany Binding							
Preamp	System63 SRT System66							



YAMAHA ELECTRIC ACOUSTIC GUITARS | 4 \*About SRT, please refer to page 21-22 for more details.



# LLX SERIES ORIGINAL JUMBO BODY



Based on our original jumbo body shape, our flagship acoustic-electric LLX Series guitars enjoy great popularity among professional recording artists. Matching an A.R.T. pickup system to these LL series instruments delivers faithful reproduction of the wide dynamic range and balance characteristic of LL guitars, along with its clear, beautiful tone. Tops on the LLX36C/26C/26 are treated with Yamaha's exclusive  $A.R.E.^{\ast}$  (Acoustic Resonance Enhancement) treatment that gives new instruments a mature sound right out of the box. The series offers cutaway and non-cutaway models.

Model	LLX36C	LLX26C / 26	LLX16	LLX6A	
Тор	Solid Engelman	Spruce A.R.E*	Solid Engelman Spruce		
Back / Side		Solid Rosewood		Rosewood	
Neck	Mahogany, F	adauk (Sply)	Mahogany, Rosewood (3ply)		
Soundhole Rosette	Abalone	& Wood	Wood(Blac	k & White)	
Body Binding	Maple & Abalone Maple Iv			ory	
Preamp	System60 3-way A.R.T.			System57CB 3way A.R.T.	



\*A.R.E. stands for Acoustic Resonance Enhancement. Please refer to page 40 for more details. \*A.R.T. stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details.


YAMAHA ELECTRIC ACOUSTIC GUITARS | 6

## LSX SERIES SMALL BODY CUTAWAY



Outstanding tonal balance and smaller dimensions are just a couple of reasons why this acoustic-electric version of the LS series is so popular among finger style guitarists. While the instrument produces excellent acoustic volume it is also equipped with our ground-breaking A.R.T. 3-way pickup system (System 60), which provides control of overtones and resonance for premium quality sound amplification. Tops on the LSX36C and LSX26C feature Yamaha's A.R.E.\* (Acoustic Resonance Enhancement) treatment.

Model	LSX36C	L8X26C		
Top	Solid Engelman	1 Spruce A.R.E*		
Back / Side	Solid Rosewood			
Neck	Mahogany, Padauk (5ply)			
Soundhole Rosette	Abalone & Wood	Wood(Black & White)		
Body Binding	Maple & Abalone Maple			
Preamp	System60 3-way A.R.T.			





## LJX SERIES MEDIUM JUMBO CUTAWAY



The LJX body is designed to provide playing comfort when seated. The LJX26CP and 16CP both incorporate Yamaha's newly developed SRT system (see page 21 for further information). The LJX36 utilizes Yamaha's exclusive A.R.T. technology and a 3-way configuration to deliver strong low-end tone with outstanding presence. Strummed or playing lead, it delivers a wide dynamic range, clear sound, and excellent response. Tops on the LJX36C, LJX26C/CP and LJX16CP feature Yamaha's A.R.E\* (Acoustic Resonance Enhancement) treatment.

Model	LJX36C	LJX26CP	LJX26C	LJX16CP	LJX6CA
Тор	Solid Engelman Spruce A.R.E*				Solid Engelman Spruce
Back / Side	Solid Rosewood				Rosewood
Neck	Ma	ahogany, Padauk (Sp	oly)	Mahogany, Ro	sewood (3ply)
Soundhole Rosette	Abalone	& Wood	Wood(Black & White)	Aba	lone
Body Binding	Maple & Abalone	Maple		Ive	ory
Preamp	System60 3-way A.R.T.	System62 SRT	System60 3-way A.R.T.	System62 SRT	System57CB 3way A.R.T.



7 YAMAHA ELECTRIC ACOUSTIC GUITARS \*A.R.E. stands for Acoustic Resonance Enhancement. Please refer to page 40 for more details. \*About SRT, please refer to page 21-22 for more details. \*A.R.T. stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details. YAMAHA ELECTRIC ACOUSTIC GUITARS | 8

LSX Colors

Natural (NT)



## CPX15II SERIES COMPASS

The CPX15II series instruments are high-quality, hand crafted electric-acoustic guitars. The lineup consists of five instruments that are cosmetically themed, four for the four points of the compass, north, south, east, and west, and the fifth carrying a nautical theme. The CPX16II is the base model in the Compass series and features Yamaha's A.R.T. (Acoustic Resonance Transducer) 3-way pickup System.

Model	CPX15II	CPX15EII	CPX15WII	CPX158II	CPX15NII	
Тор	Solid Spruce					
Back / Side	Indian Rosewood	Indian Rosewood Quilted Mahogany Walnut White Sycamore				
Neck			Mahogany			
Inlay	RW, African MH, PD, EOP PD, MH, African MH, RW MH, PD, ER, RW, African MH PD, MH, African MH, RW Abalone, Orange Acry					
Binding	Ivory					
Preamp		System59 3way A.R.T.				



### CPX15II

An image of sailing vessels in search of new worlds is the theme used on the OPX15II. Signal flag position markers adorn the neck while beautiful inlay work depicting three billowing flags surrounds the sound hole.

### CPX15EII EAST VERSION

Mystical scenes of ancient Egypt are the theme for the East model. The 12th fret position marker is an exquisite Eye of Horus design done in blue. The sound hole is surrounded by ancient hierostrohic milay work.

### CPX15WII WEST VERSION

The West model evokes images of dry winds blowing across broad American landscapes. Fret markers are based on designs of Native American concho ornaments and long horn inlay surrounds the sound hole.

### CPX15SII SOUTH VERSION

The South model depicts Caribbean seas with its deep coean blue hue. Position markers create a soene of coconut leaves shining with the light reflected off of the waves. Inlay around the soundhole depicts a beach scene changing from evening to night.


### CPX15NII NORTH VERSION

The North model evokes images of frozen north. Fret markers are whale's tails rising above the water's surface, which is represented by the frets. Intricate inlay work around the soundhole features exquisite images of the

## CPX SERIES COMPASS

CPX is great for any purpose. It satisfies your need in acoustic guitar anywhere from living room, studio to stage. It plays naturally unplugged and it screams when lined out. The deep body CPX produces rich acoustic tone and resonance. Great tonal range, from deep low to silky high, this is a loud, boomy, yet sensitive acoustic guitar. Even with terrific body resonance, feedback is well-controlled. Because of the special bracing pattern and new Yamaha's original calibrated preamp, you will never experience feedback.

Model	CPX1200	CPX1000	CPX700II / 700II-12	CPX500II	
Тор		Solid Spruce		Spruce	
Back / Side	Solid Rosewood	Flamed Maple	Flamed Maple Nato		
Soundhole Rosette	Mahogany	Abalone	Black & White Multi	Abalone	
Body Binding	Mahogany	Ivory			
Preamp	System62 SRT	System63 SRT	System64 1 way A.R.T.	System65	



\*About SRT, please refer to page 21-22 for more details. \*A.R.T. stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details.


YAMAHA ELECTRIC ACOUSTIC GUITARS | 12



# APX SERIES

Since its introduction in 1987, the APX series has always been at the heart of the electric-acoustic guitar scene. Its great playability makes it perfect for performing and an excellent gigging guitar. Thin-line bodies make them comfortable and easy to play while cutaway designs offer greater access to high frets. Their designs also make the transition from playing an electric guitar smoother than ever. Specially designed non-scalloped X-type bracing allows the guitar's top to sing and maximizes the resonance of the unique body shape for a full, natural tone. The line also offers some stunning color variations.

Model	APX1200	APX1000	APX700II/700II-12/700IIL	APX500II	APX500IFM
Top		Solid Spruc	Solid Spruce Spruc		
Back / Side	Solid Rosewood	Flamed Maple	Nato		
Soundhole Rosette	Abalone APX RING	Rosewood & Abalone	Rosewood & Mahogany MOP APX RING		X RING
Body Binding	Mahogany	Ivory			
Preamp	System62 SRT	System63 SRT	System64 lway A.R.T.	System65	



APX700II-12

\*About SRT, please refer to page 21-22 for more details. \*A.R.T. stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details.



# FGX SERIES TRADITIONAL WESTERN BODY CUTAWAY


# FX SERIES

This model inherits the design philosophy of the FG and


FGX guitars to deliver excellent sound quality at a rea-

The FGX73OSC is the acoustic-electric version of the FG73OS. Features inherited from the L Series, such as nonscalloped X bracing and a reverse L block neck attachment, make it an instrument of high quality. Equipped with an A.R.T. 1-way pickup system (System 56), it delivers a clear, bright tone, typical of FG guitars, and performs just as well whether playing accompaniment or lead. Onboard electronics that include a 3-band equalizer with an adjustable mid-range frequency and a tuner make it a perfect instrument for performing live.

Model	FGX730SC	FGX720SCA	
Top	Solid S	Spruce	
Back / Side	Rosewood Nato		
Soundhole Rosette	Aba	alone	
Body Binding	Ivory	Black & White Multi	
Preamp	System56CB A.R.T. 1-way	System55T	







 $^*A.R.T.$  stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details.  $^*Sold$  as the FX325 (same spec) in the U.S.

YAMAHA ELECTRIC ACOUSTIC GUITARS | 16

## FSX SERIES SMALL BODY CUTAWAY

The FSX line is the most recent addition to the FS series. The FSX730SC and 720SC both deliver dynamic acoustic sound from compact body designs that are derived from the FS720. They are a great choice for players that prefer the comfort that their smaller body designs supply and are also perfect for finger picking styles. The FSX730SC features an A.R.T one-way pickup system (System 56) that delivers genuine acoustic tone. On-board electronics include a chromatic auto tuner, 3-band equalizer, and an adjustable mid frequency control.

Model	FSX730SC	FSX720SC	
Тор	Solid 8	Spruce	
Back / Side	Rosewood	Nato	
Soundhole Rosette	Abalone	Black & White Multi	
Body Binding	Ivory		
Preamp	System56CB A.R.T. 1-way	System55T	



# FJX SERIES MEDIUM JUMBO BODY CUTAWAY

These medium jumbo-bodied guitars are noted for their well-defined bass, wide dynamic range, plus clear and exceptional response. Both the FJX730SC and 720SC have inherited quality features from our L Series such as their non-scalloped X bracing and reverse L block neck attachment. The FJX730SC features an A.R.T 1-way pickup system (System 56) that faithfully reproduces the dynamic sound produced by its medium jumbo body. Onboard electronics include a chromatic auto tuner and 3-band equalizer.

Model	F8X7308C	FSX7208C	
Тор	Solid Spruce		
Back / Side	Rosewood	Nato	
Soundhole Rosette	Abalone	Black & White Multi	
Body Binding	Ivo	ory	
Preamp	System56CB A.R.T. 1-way	System55T	



17 I YAMAHA ELECTRIC ACOUSTIC GUITARS YAMAHA ELECTRIC ACOUSTIC GUITARS | 18 \*A.R.T. stands for Acoustic Resonance Transducer. Please refer to page 23-24 for more details.



# SILENT GUITAR

At home or on the road, with headphones or direct into a recording console, in the rehearsal studio or on a stage in front of 20,000 fans, the Silent Guitar performs perfectly while offering something more... the ability to really have your music with you, wherever you are. The Silent Guitar was developed to allow guitarists to play anywhere, anytime, without limitations.

Model	SLG130NW	SLG110N	SLG1108		
Body		Maple			
Neck	Mahogany				
Strings	Nylon Gui	tar Strings	Steel Guitar Strings		



## SRT Series



## **SRT Delivers Amazingly Authentic Acoustic Tone**

When professional guitarists want to record real acoustic guitar tone, they'll record the guitar with a microphone. That holds true for guitarists who prefer using electric-acoustics on stage as well. Electric-acoustics are very effective in live situations due to their ability to adjust sound and balance volume with the other instruments in the band. But the sound that electric-acoustics deliver is merely the amplified sound from a pickup attached to the bridge or the top, and lacks true acoustic resonance and ambiance. True acoustic guitar tone that you hear on recordings only exists in the recording studio where experienced sound engineers have the means to capture that sound.

Yamaha's new SRT system lets you create that same studio recorded sound. The system lets you choose from three different high-end mic types as well as mic positioning. It also lets you obtain more detailed sound by blending the sound with that from the piezo pickup and adjusting resonance.

The SRT series brings studio quality acoustic guitar sound to the stage that will amaze your audiences.

## Advanced Features for Playing Live and Recording

### Three High-End Mic Types

Select from models of three microphones most-favored by recording engineers around the world. (Mic models are created using data collected from these microphones.)



### Type 1: Neumann U67

Vintage condenser large Diaphragm microphone known for its wide frequency range and dynamic response. Good for all musical playing styles, follows phrasing well. Recommended for comping and rock playing.

### Type 2: Neumann KM56

Vintage condenser small Diaphragm microphone known for its smooth, accurate and delicate high-end. Recommended for arpeggios, ballads, finger picking, etc.

### Type 3: Royer R-122

Modern ribbon microphone known for its soft response with a gentle high-end and thick and warm tone. Smooths hard picking into a rounder Jazz and Blues playing.

### **Adjustable Body Resonance**

The RESONANCE knob allows you to add body resonance to the sound, emphasising the natural tone of the guitar.

\* The RESONANCE control is only effective on the mic sound.

Less resonance



### ★ Keep Feedback Under Control

These instruments incorporate Yamaha's original A.F.R. (Auto Feedback Reduction), which automatically detects the frequency causing the feedback and applies a notch filter to suppress the problem frequency. When feedback occurs, simply switch the A.F.R. button ON. Up to five filters can be applied.



More resonance

### **Professional Mic Positions**

Choose miking positions close or far.





On mic setting (mic positioned 20-30cm from the guitar). Captures string and body resonance clearly to deliver a fat, expansive sound and excellent projection.



On Mic combined with Off Mic setting (mic positioned a few meters away from the guitar). Close to the ambient sound that the ear hears when listening to a guitar. Recommended for solo and ensemble playing.

### Blending Piezo and Mic Sound Sources

Blend piezo pickup and microphone sources to create a wide palette of tonal variations. Blending the sound from the piezo pickup with the sound from the built-in mic adds sharpness.



(full left) Piezo pickup only

(full right) Mic sound only

YAMAHA SRT SERIES | 22 21 YAMAHA SRT SERIES

## Pickup/Preamplifier System for Electric Acoustic Guitars

### A.R.T. Pickup System

## A.R.T. (Acoustic Resonance Transducer) technology


Newly developed contact pickup

### Unique multilayer structure achieves optimum dynamic balance.

Yamaha electric acoustic guitars have consistently used piezo pickups to reproduce the pure sounds of the acoustic guitar. But piezo pickups tended to overreact to changes in attack, which in turn caused distortion. To achieve ideal playability, we had to improve the way that these dynamics were controlled.

To provide a solution to this issue, the new pickup was designed with a multilayer structure consisting of six layers of different materials. This dampens excessive vibration from the topboard while picking up small resonances to achieve ideal sensitivity and outstanding dynamic balance. Also, because the pickup is fitted directly beneath the topboard, it functions as a transducer attached to the body.

### Contact Pickup



Back Side of Top Board

### 3-way configuration

In addition to two main pickups mounted under the saddle, this system has one each on the bass and treble sides to capture the vibrations of the entire length of the strings and body, as well as the sound's bass and treble components. The pickups are laid out in such a way as to achieve clear reproduction even during high-position soloing.

### Pickup System



Non-A.R.T. models

Controls for the under bridge mounted piezo pickup are mounted on the instrument's side for optimum access. The battery compartment is also located on the side, close to the neck to provide easy replacement.

### **Preamp Systems**

# O R ...

### System65/66

System 65/66 features an under-saddle piezo pickup developed by Yamaha. Controls include a 3-band equalizer, an adjustable mid-range frequency control, and a precision chromatic tuner for optimum sound tailoring. The system is powered by easy to obtain AA-size batteries that provide a stable power supply for improved sound quality.



### System55T

This is a tuner-equipped version of System55. The chromatic tuner is accurate, easy to use and easy to view. You can use the tuning mode by pressing a single but ton even if you have no cable connected. Turning the tuner on or off will not affect the output in any way.

The tuner also comes with a one-minute auto-off timer to save battery power.



### System53 for FX310A

One-way active preamp and piezo pickup system includes separate bass and treble tone controls plus a gain control for flexible sound shaping. Battery check switch and indicator also included.



## System58/46N/48 One-way system includes a 3-band

One-way system includes a 5-Dand equalizer with an adjustable midrange frequency control and master volume. System 46N/48 are optimized for use with nylon string guitars. The functions are the same as those of System58.

YAMAHA PICKUP/PREAMPLIFIER SYSTEM | 24

## A.R.T. Preamp Systems


System57/57CB

OUTPUT

### 3-way configuration

### System60

23 | YAMAHA PICKUP/PREAMPLIFIER SYSTEM



Offers separate controls for main and the two sub pickups (bass and treble). It also has a Master Volume control for final output level adjustment.

man output level aquisament.

The preamplifier has only four controls on the body side so as to minimize impact on body resonance. These pushpush knobs fit into the body when not in use.

## Models: LX36C/26C/26/16

### System59



This system offers individual controls for the main pickup and two sub pickups (bass and treble). It also has a 3-band equalizer and Master Volume for fine tone tailoring.

# VOLUME BASS TREBLE

MAIN PICKUP

SUB PICKUP

SUB PICKUP

(BASS SIDE)

(TREBLE SIDE)


The main pickups are controlled via the master volume, while the bass and treble pickups are controlled independently. The system is also equipped with a 3-band equalizer for versatile sound production that fully satisfies the musician's creative demands.

The onboard tuner is easy to view on stage, even under low light conditions.

Models: CPX15II Models: LLX6A, LJX6CA

### 1-way configuration

### System56/56CB



This configuration features one main pickup system consisting of two pickups underneath the saddle. The 3-band equalizer gives the ability to control the mid-range for versatile sound creation that meets the musician's needs. The system is also equipped with an onboard tuner for optimum usability.

Models: FGX730SC,FJX730SC

### System64



MAIN PICKUP



System 64 is an original preamp system newly designed and developed by Yamaha's guitar development team. The 1-way system incorporates two contact pickups mounted inside of the body underneath the saddle. Best matching between guitar and pickup was obtained through numerous trials using a number of voice variations in order to produce the most authentic acoustic tone possible. The system is powered by easy to obtain AA size batteries that provide a stable power supply for improved sound quality. The system also includes a high-precision turn.

Models: CPX700II,700II-12, APX700II.700II-12,700II-L





# LL SERIES ORIGINAL JUMBO BODY



The L-Series are Yamaha's flagship line of acoustic guitars—instruments loved by artists from a wide range of musical genres. The LL Series sound has been polished and refined over the years through the advice of artists from all over the world. They deliver rich volume, clear resonance, excellent projection, a wide dynamic range, and a well-defined tone. High-end models are handcrafted and feature our A.R.E. (Acoustic Resonance Enhancement) technology on tops made from select materials. These are hallmark instruments designed and crafted especially for professionals.

Model	LL36	LL26	LL16/16-12/16-L	LL6	
Top	Solid Engelman	Spruce A.R.E*	Solid Engel	man Spruce	
Back / Side		Solid Rosewood		Rosewood	
Neck	Mahogany, P	adauk (Sply)	Mahogany, Ro	sewood (3ply)	
Soundhole Rosette	Abalone & Wood	Wood(Black & White)	Abai	lone	
Body Binding	Maple & Abalone	Maple	Ivory		



\*A.R.E. stands for Acoustic Resonance Enhancement. Please refer to page 40 for more details.

YAMAHA ACOUSTIC GUITARS | 28

# LS SERIES SMALL BODY



The grand auditorium sized LS body has a long history. Its compact body with full size body depth offers excellent volume that cannot be found in compact body guitars. Its wellbalanced tone and beautiful resonance are perfect for finger style playing. High-end models are handcrafted and feature our A.R.E. (Acoustic Resonance Enhancement) technology.

Model	LS36	LS26	L816	LS6			
Тор	Solid Engelman	Spruce A.R.E*	Solid Engel	man Spruce			
Back / Side		Solid Rosewood		Rosewood			
Neck	Mahogany, P	adauk (Sply)	Mahogany, Rosewood (3ply)				
Soundhole Rosette	Abalone & Wood	Wood(Black & White)	Aba	lone			
Body Binding	Maple & Abalone	aple & Abalone Maple Ivory					



# LJ SERIES MEDIUM JUMBO BODY



The medium jumbo sized LJ is designed to rest securely yet comfortably on the guitarist's leg when seated. It produces a low range with great presence, a wide dynamic range, and clear tone with excellent response that plays well whether strumming or playing lead. High-end models are handcrafted and feature our A.R.E (Acoustic Resonance Enhancement) technology.

Model	LJ36	LJ26	LJ16	LJ6			
Тор	Solid Engelman	Spruce A.R.E*	Solid Engel	man Spruce			
Back / Side		Solid Rosewood		Rosewood			
Neck	Mahogany, F	adauk (Sply)	Mahogany, Rosewood (3ply)				
Soundhole Rosette	Abalone & Wood	Wood(Black & White)	Abalone				
Body Binding	Maple & Abalone	Maple	Ivory				



29 YAMAHA ACOUSTIC GUITARS \*A.R.E. stands for Acoustic Resonance Enhancement. Please refer to page 40 for more details. YAMAHA ACOUSTIC GUITARS | 30



# FG SERIES TRADITIONAL WESTERN BODY


Around for over 40 years now, the FG Series offers outstanding quality throughout with features like non-scalloped X-bracing and reverse L block neck joints, which were originally developed for the "L" Series guitars. Solid tops provide excellent cost performance and extended quality while delivering the clear sound characteristic of the FG series. All in all, an excellent instrument truly enjoyable to play.





### Head Design

Real mother-of-pearl inlay on the head-stock is standard on all models and adds a touch of class not found in this price range.




### Neck Block

Yamaha's original "L" block design offers faster transfer of string vibration to the guitar's body for greater depth and/tone while enhancing stability around the neck joint.



### Large Bridges


The large bridge offers greater transfer of string vibration to the body producing a tight and clear mid-range with full, balanced tone. Smooth lines and edges keep the playing surface unencumbered.



# FG SERIES TRADITIONAL WESTERN BODY

These instruments deliver outstanding cost performance with quality features like nonscalloped X-bracing and reverse L block neck joints.

Model	FG7508	FG740SFM	FG7308	FG7208/7208-12/7008L	FG7008/700M8
Тор			Solid Spruce		
Back / Side	Flame	i Maple	Rosewood	Na	to
Soundhole Rosette	Rosewood & Mahogany	Aba	lone	Black & W	hite Multi
Body Binding	Rosewood		Ivory		Black



## FS SERIES SMALL BODY F SERIES


The FS line is a compact version of the FG Series. Designed with a full-sized body depth delivers rich low-end tone that contradicts its compact size. Its short scale makes it an excellent choice for guitarists with small hands.

Model	F87208
Top	Solid Spruce
Back / Side	Nato
Soundhole Rosette	Black & White Multi
Body Binding	Ivory

The F Series is based on our FG Series guitars and delivers outstanding durability and excellent cost performance.

Model	F370	F310
Top	Spr	uce
Back / Side	Nato	Meranti

F310\*





Package Model of F310/F310TBS

CONTENTS: Gig bag, Pitch pipe, String set, Strap, String winder, Capo, Picks
Color: Natural (NT), Tobacco Brown Sunburst (TBS) Not available in the U.S.

F Colors	Black (BL)	Tobacco Brown Sunburst (TBS)	Cherry Sunburst (CS)	Natural (NT)
F370	•	•		•
F310		•	•	•

35 | YAMAHA ACOUSTIC GUITARS \*Sold as the F325 (same spec) in the U.S. YAMAHA ACOUSTIC GUITARS | 36



# JR SERIES COMPACT SIZE GUITAR

The JR series guitars are compact acoustic instruments modeled after our long selling FG series. Their compact size and authentic acoustic tone make them an excellent take along, play anywhere guitar. Great for campfire sing alongs, road trips, or anywhere you want to be able to play. The JR2S features a solid spruce top for superior tone and projection. Both the JR2S and JR2 feature mahogany backs and sides with an ultra thin film finish that offers beautiful looks. The instrument comes with a durable case.

Model	JR28	JR2	JR1
Тор	Solid Spruce	Spr	uce
Back / Side	Mahogany (Ultra Ti	Finish UTF nin Film)	Meranti



YAMAHA ACOUSTIC GUITARS | 38

## L Series Common Features







### 1 Tuners

3 Cutaway Body The vintage style brass tuners Venetian cutaways offer access found on all #26 model guitars to the upper frets while adding present these instruments with beauty to these fine instruments.



### 2 Multi-Ply Neck Designs

The five-piece necks on the #36 and #26 models are carved from a single laminated block that features two layers of padauk-an extremely hard wood used for marimba tone bars-sandwiched between three layers of mahogany. This design creates a neck that is exceptionally strong and stable-great for those players who prefer low string height. The #16 and #6 model instruments utilize similar 3-ply design of rosewood between two layers of mahogany.



### **Cases Offer Outstanding Support and Protection**

Newly developed hard and form cases are designed to provide your L-Series guitar with excellent support and protection. They offer a stress-free environment that will extend the life of your valuable instrument while keeping it safe.





### 4 L series original Bracing Designs

All L-series guitars benefit from a new non-scalloped bracing design that delivers tone that is thick and well focused. The #36 and #26 model instruments add a square bracing design which utilizes side braces to connect the brace closest to the sound hole on the top, to its opposite brace on the back. This arrangement transmits string resonance to the back much quicker, causing the entire instrument to come alive with bass response, which the player feels as well.



### **5** Body Selection

Whether you prefer a full-sized LL original jumbo, small sized LS body, or medium jumbo-sized LJ, the choice is yours. Each of these body styles is represented in each class letting you choose the instrument that meets your requirements for sound, style, and affordability.



### 6 Bridge

The bridges on all new L-Series guitars offer more overall mass than their predecessors to deliver greater tone from these instruments. Their designs feature smooth lines and edges to keep the playing surface unencumbered.

## A.R.E. (Acoustic Resonance Enhancement) A.R.E.))

A.R.E. (Acoustic Resonance Enhancement) is an original wood reforming technology developed by Yamaha. Instruments made with woods processed with this technology produce a tonal richness that is like vintage instruments that have been played for years. This technology is currently applied to the tops on L Series 6 model acoustic guitars (pages 28,29,30) and LX Series 9 model acoustic electric guitars (pages 6,7,8).

A.R.E technology uses precision controlled humidity and temperature to manipulate the molecular properties of the wood into a more acoustically ideal condition (similar to the molecular characteristics of woods in instruments that have been played for years). The process is chemical free making it an environmentally friendly process as well.

The following alterations lead to their corresponding acoustically ideal conditions.

- Enhanced low range sustain produces rich sound and thick tone.
- · Increased high range response and decay produces a sharper tone and simultaneously controls dissonance.



The graphs shown below are from actual acoustic spectral measurements taken under controlled conditions with a current L series guitar and a new L series guitar with A.R.E.


Notice the enhanced low range sustain and improved high range attack on the A.R.E. guitar. It is also clear that high range dissonance has a shorter delay after the attack. This is hard proof that A.R.E. is effective at producing the desired changes in the wood's acoustic characteristics. These instruments have received high marks from a great number of musicians. Most of their evaluations are identical to evaluations for guitars that have been played for years. Comments such as "excellent resonance", "warm", "mature", "well settled", and "clear" were common terms used in the evaluations.

· Patents already registered

Janan Patent # 3562517 United States # US6667429 B2 and other countries

· Patents Pending

Europe (20 countries)



### Accessories

### YT-150

YT-100 GUITAR/BASS AUTO TUNER Indicators: Pitch indicator. Tuning guides

- Tuning Notes: GUITAR 7B, 6E, 5A, 4D, 3G, 2B, 1E BASS LB, 4E, 3A, 2D, 1G, HC • Input: Input jack(6 monaural), Built-in microphon • Power Source: Two AAA(R03/LR03) batteries
- Dimensions: 97(W) X 50(H)X 18(D)mm (3.8" X 2.0" X 0.71")

QT-1/QT-1B/QT-1BR



Yamaha tuners offer quick and accurate tuning of your instruments. Tuners are equipped with built-in microphones for easy tuning, or electric instruments can be connected directly to the tuner. Easy to read indicators facilitate quick and accurate tuning.

The QT-1 quartz metronome offers soft or bright sound settings, volume control and a flashing LED atop its unique design. Tuning notes over a one octave range are provided in half-step increments with adjustable standard pitch.

39 | YAMAHA ACOUSTIC GUITARS YAMAHA ACOUSTIC GUITARS | 40

# ARTISTS






41 | ARTISTS





Steve Lukather





Josh Gooch






Michael Herring



ARTISTS | 42



## Woods

### Top

### Finger Board & Bridge







### **Back & Sides**











## Elements of Sound

Bracing – thin strips of wood glued to the underside of the guitar's top – is, in addition to the type and cut of the wood used, one of the most important elements influencing the guitar's volume and tone.

Bracing applied to the back and sides also has an effect on sonic performance. The bracing configuration used can mean the difference between the success or failure of an instrument, and ideally will complement and enhance the qualities of the woods used and the instrument's overall design. Too much bracing or braces that are too heavy will result in a dead sounding guitar. At the other extreme – too little bracing or braces that are too light – the guitar might sound unfocused and boomy, and the top may be prone to distortion and breakage.



### L Series

Non-scalloped, 90° X-type bracing. 8 nonscalloped braces deliver tone that is thick and well focused.



### FG/FS Series

Non-scallop, X-type bracing design. Delivers deep lows full of presence that are unique to the Yamaha sound, and a clear upper end. Response is clear and tight.



### **APX Series**

Non-scalloped X-type bracing design. Delivers a well-balanced sound when played acoustically. Oval soundhole offers thicker middle highs that are unique to the APX sound.



### **CPX** Series

Non-scalloped, X-type bracing positioned closer to the sound hole enhances low-end. Overall rich sound with good response and powerful lows

## Craftmanship

Even with the advanced manufacturing technology available today it simply isn't possible to entirely automate the production of first class acoustic guitars. The complexity of the task in addition to the need for constant awareness of the materials being used and the ability to minutely adjust for variations is beyond the scope of available technology.

Machines do play a vital role, but there is no substitute for the skill and sensitivity of experienced craftsmen at many stages during the production of fine musical instruments.

In addition to factories in Japan, Yamaha operates guitar factories in China and Indonesia that are run in the same way. From raw materials to production processes, Yamaha maintains the same demanding standards at all factories to ensure that every instrument that bears the Yamaha logo delivers the fit and finish plus the sound and playability that we intend and our customers have come to expect.



YAMAHA ESSENTIAL KNOWLEDGE I 44

## Quality Control from concept to service

Yamaha takes the concept of "quality control" way beyond simply checking finished products for defects. In fact, Yamaha maintains dedicated staff and certified world-class facilities that are devoted solely to quality control, ensuring that all products are designed, developed, manufactured, shipped, and serviced with maximum quality maintained throughout the entire process. The Yamaha quality control process can be broadly divided into 6 phases that begin at a guitar's conception and continue for long after it is sold and in the player's hands.

- 1: Virtual Review Creating Quality on Paper
- 2: Initial Prototype Ideas Become Reality
- 3: Pre-production Prototype Refining the Process
- 4: Production Non-stop Quality Control
- 5: Spot Checks and Feedback from the Field -Continued Vigilance
- 6: In the Player's Hands Lasting Quality



## Severe Quality Testing

Since quality cannot be fully assured on the basis of theory alone, it becomes necessary to subject actual instruments and parts to "controlled abuse" that tests their actual performance, stability, and reliability to extremes. Yamaha maintains a number of facilities dedicated to physical testing and quality control—including the world-class Yamaha Quality Support Center that houses some of the most advanced and sensitive testing facilities for electronic devices available anywhere, plus some tortuous durability tests that are almost shocking in their severity.



### The Ultimate Goal

The ultimate goal of Yamaha quality control is total customer satisfaction. That not only means delivering guitars that are stable and reliable, but also instruments that fulfill the player's musical needs and are capable of growing and improving along with the player. And when a problem occurs, responsive and effective support becomes an essential element of the quality equation as well. Easier said than done. Like the products themselves, quality management must continually evolve to keep pace with continuously changing markets, user needs, and technology. Yamaha is right at the leading edge.



## YASB (Yamaha Artist Services, Burbank)

Yamaha's goal is to create guitars that ideally meet the real world needs of professional and amateur musicians who depend on their instruments for their livelihood, art, and enjoyment. Acquiring feedback directly from and cooperating with players in the development of designs and features is the most meaningful, effective way to refine the instruments we produce. With that understanding, Yamaha places great emphasis on communicating with players and providing opportunities for them to evaluate instruments and suggest improvements.

YASB is located at the heart of the LA music scene. Most artists are keenly aware of their own needs as well as those of other musicians around them, and are usually happy to evaluate prototypes and share ideas and opinions on how instruments can be improved whenever the opportunity arises. Thus the quality of Yamaha guitars is not only dependent on the designers, craftsmen, and support staff at Yamaha's guitar divisions and factories, but also to a large degree on the players who use them.







45 | YAMAHA ESSENTIAL KNOWLEDGE | 46

Specifi	cations												1	L Se	ries												
obecim	Cautons	LLX36C	LSX36C	LJX36C	LJXZ6CP	LLX26C	LLX26	LSX26C	LJX26C	LJX16CP	1LX16	LLX6A	LJX6CA	11.36	1.536	1936	LL26	LS26	1,726	LL16	LL16-12	LL16L	1816	9161	977	1.86	961
Тор	Solid Engelmann Spruce A.R.E	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•								
	Solid Engelmann Spruce										•	•	•							•	•	•	•	•	•	•	•
Back & Side	Solid Rosewood	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•			$\Box$
	Rosewood											•	•												•	•	•
Neck	5ply (Mahogany,Padauk)	•	•	•	•	•	•	•	•					•	•	•	•	•	•								
	3ply (Mahogany, Rosewood)									•	•	•	•							•	•	•	•	•	•	•	•
Finger Board / Bridge	Ebony	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Body Depth	100 -125 mm (3 15/16"- 4 15/16")	•		•	•	•	•		•	•	•	•	•	•		•	•		•	•	•	•		•	•		•
	100 -120 mm (3 15/16"- 4 3/4")		•					•							•			•					•			•	
Nut Width	44 mm (1 3/4") LL16-12: 46 mm (1 13/16")	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
String Lengh	650 mm (25 9/16") LL16-12: 634 mm (25")	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tuning Machine	Die-cast Gold	•	•	•						•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
	Open Gear (Vintage Finish)				•	•	•	•	•								•	•	•								
Color	NT	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•		•	•
	NT, T, BS																								•		
	NT, BS, TBS, BL										•	•															
Finish	Gloss (Nitrocellulose Lacquer)	•	•	•										•	•	•											
	Gloss				•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•
Preamp	System62 SRT				•					•																	
	System60 3way A.R.T.	•	•	•		•	•	•	•		•																
	System57CB 3way A.R.T.											•	•														
Standard Accessory	Hard Case	•	•	•	•	•	•	•	•					•	•	•	•	•	•								
	Form Case									•	•	•	•							•	•	•	•	•	•	•	•
Page		6	7	8	8	6	6	7	8	8	6	6	8	28	29	30	28	29	30	28	28	28	29	30	28	29	30

									FG	K/F)	K/FG	/FS	/F/J	R Se	ries								
		FGX730SC	FGX720SCA	FSX730SC	FSX720SG	FJX730SC	FJX720SC	FX370C	FX310A	FG750S	FG740SFM	FG730S	FG720S	FG720S-12	FG720SL	FG700S	FG700MS	FS720S	F370	F310	JR2	JR2S NEW	JR1
Гор	Solid Spruce	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•				•	
	Spruce							•	•										•	•	•		•
lack & Side	Nato		•		•		•	•					•	•	•	•	•	•	•				
	Rosewood	•		•		•						•											
	Meranti								•											•			•
	Flamed Maple									•	•												
	Mahogany Finish UTF (Ultra Thin Film)																				•	•	
eck	Nato	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
inger Board/Bridge	Rosewood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ody Depth	100 -125 mm (3 15/16"- 4 15/16")					•	•																
	100-118 mm (3 15/16"- 4 5/8")	•	•							•	•	•	•	•	•	•	•						
	100-120 mm (3 15/16"- 4 3/4")			•	•													•					
	96-116 mm (3 3/4"- 4 9/16")							•	•										•	•			
	80-90 mm (3 1/8"- 3 9/16")																				•	•	
ut Width	43 mm (1 11/16")	•	•		•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•	
	46 mm (1 13/16")							•						•									
ring Lengh	650 mm (25 9/16")	•	•			•	•			•	•	•	•		•	•	•						
	634 mm (25")				•			•	•					•				•	•	•			
	540 mm (21 1/4")																				•	•	
ining Machine	Die-cast with Vintage Plastic Pegs									•													
	Die-cast Chrome (TMW28)													•									
	Die-cast Chrome (TM29T)	•	•	•	•	•	•	•			•	•	•		•	•	•	•	•				
	Covered Chrome								•											•			
	Opened Chrome																				•	•	
olor	NT, DSR, OBB, BS, BL												•										
	NT, DSR, CBA, TBS, BL																	•					
	NT, TBS, BL							•											•				
	NT, TBS VCS											•								•			
	NT, BS BL	•	•	•	•	•	•																
	NT.TBS																				•	•	
	VCS										•												
	NT								•	•				•	•	•	•						
nish	Gloss	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	
	Top:Gloss Back&Side:Satin																				•		
	Satin																•						
reamp	System58							•															
	System56CB 1way A.R.T.	•		•		•																	
	System55		•		•		•																
	System53								•														
andard Accessory	Gig Bag																				•	•	
age		16	16	17	17	18	18	16	16	32	32	35	35	35	35	35	35	36	36	36	38	38	38

47 | SPECIFICATIONS

					CI	x s	erie	s			
		CPX15II	CPX15NII	CPX15WII	CPX1SEE	CPX15SH	CPX1200	CPX1000	CPX700H	СРХ700-12П	CPXSOOII
Тор	Solid Spruce	•	•	•	•	•	•	•	•	•	
	Spruce										•
Back & Side	Solid Rosewood						•				
	Flamed Maple							•			
	Nato								•	•	•
	Indian Rosewood	•									
	Walnut			•							
	Quilted Mahogany				•						
	White Sycamore		•			•					
Neck	Mahogany	•	•	•	•	•	•				
	Nato							•	•	•	•
Finger Board/	Ebony						•				
Bridge	Indian Rosewood	•	•	•	•	•					
	Rosewood							•	•	•	•
Body Depth	95-115 mm (3 3/4"-4 1/2")	•	•	•	•	•	•	•	•	•	•
Nut Width	43 mm (1 11/16")	•	•	•	•	•	•	•	•		•
	46 mm (1 13/16")									•	
String Lengh	650 mm (25 9/16")	•	•	•	•	•	•	•	•		
• •	634 mm (25")									•	
Tuning Machine	Die-cast Gold (TM-29GB)						•				
· ·	Die-cast Gold (SG-301)	•	•	•	•	•					
	Die-cast Gold (TM-29G)							•			
	Die-cast Chrome (TM-29-T)								•		
	Die-cast Chrome (TMW28)									•	
Color	VS. TBL						•				
	NT, TBL,BS,UM							•			
	NT, BL, DSR, SDB, T								•		
	NT, BL ,OVS, DRB										
	NT	•								•	
	BW		•								
	AVS			•							
	SDB				•						
	MOB					•					
Finish	Gloss	•	•	•	•	•	•	•	•	•	•
Preamp	System59 3way A.R.T.	•	•	•	•	•					
•	System62 SRT						•				
	System63 SRT							•			
	System64 1way A.R.T								•	•	
	System65										
Standard Accessory	Form Case						•				
Page		11	11	11	11		12	12	12	12	12

				AP	X Ser	ies		
		APX1200	APX1000	АРХ700П	APX700E12	APX700IL	АРХБООП	APX500IFM
Тор	Solid Spruce	•	•	•	•	•		
	Spruce						•	
	Flamed Maple							•
Back & Side	Solid Rosewood	•						
	Flamed Maple		•					
	Nato			•	•	•	•	•
Neck	Mahogany	•						
	Nato		•	•	•	•	•	•
Finger Board/	Ebony	•						
Bridge	Rosewood		•	•	•	•	•	•
Body Depth	80-90 mm (3 1/8"-3 9/16")	•	•	•	•	•	•	•
Nut Width	43 mm (1 11/16")	•	•	•		•	•	•
	46 mm (1 13/16")				•			
String Lengh	650 mm (25 9/16")	•	•	•		•		
	634 mm (25")				•		•	•
Tuning Machine	Die-cast Gold (TM-29GB)	•						
	Die-cast Chrome (TMW-28)				•			
	Die-cast Chrome (TM-29T)			•		•	•	•
	Die-cast Chrome (TM29G)		•					
Color	NT, TBL	•						
	NT, MBL, PW, CRB		•					
	NT, BL, SDB, BS, VS			•				
	NT, BL, OBB, OVS, VW, RM						•	
	NT					•		
	NT, BL				•			
	OVS							•
Finish	Gloss	•	•	•	•	•	•	•
Preamp	System 62 SRT	•						
	System 63 SRT		•					
	System 64 1way A.R.T				•	•		
	System 65						•	•
Standard Accessory	Form Case							
Page		14	14	14	14	14	14	14

				A	Seri	es NI	W		
		ASR	ACSR	АЗМ	АСЗМ	AIR	ACIR	МІМ	ACIM
Top	Solid Sitka Spruce	•	•	•	•	•	•	•	•
Back & Side	Solid Rosewood	•	•						
	Solid Mahogany			•	•				
	Rosewood					•	•		
	Mahogany							•	•
Neck	Mahogany	•	•	•	•	•	•	•	•
Finger Board	Ebony	•	•	•	•				
	Rosewood					•	•	•	•
Bridge	Ebony	•	•	•	•				
	Rosewood					•	•	•	•
Body Depth	100-118 mm (3 15/16"-4 5/8")	•		•		•		•	
	100-120 mm (3 15/16"-4 3/4")		•		•		•		•
Nut Width	43 mm (1 11/16")	•	•	•	•	•	•	•	•
String Lengh	650 mm (25 9/16")	•	•	•	•	•	•	•	•
Tuning Machine	Die-cast Chrome	•	•	•	•	•	•	•	•
Color	NT	•	•	•	•	•	•	•	•
	VS					•	•	•	•
Finish	Gloss	•	•	•	•	•	•	•	•
Preamp	System 63 SRT	•	•	•	•				
	System 66					•	•	•	•
page		4	4	4	4	4	4	4	4

		Silent Guitar		
		SLG130NW	SLG110W	SLG110S
ody	Maple	•	•	•
rame	Maple/Rosewood	•		
	Maple		•	•
eck	Mahogany	•	•	•
nger Board	Ebony	•		
	Rosewood		•	•
ridge	Rosewood	•	•	•
ut Width	52 mm (2 1/16")	•		
	50 mm (2 15/16")		•	
	43 mm (1 11/16")			•
ning Machine	Gold with Vintage Plastic Pegs	•	•	
	Die-cast with Vintage Plastic Pegs			•
ring Lengh	650 mm (25 9/16")	•	•	
	634 mm (25")			•
olor	LAB	•		
	NT, BM, TBS		•	•
ckup	B-BAND	•	•	
	L.R.BAGGS			•
ıge		20	20	20

\*Specifications are subject to change without notice.