

■ Restart Media Server in BUFFALO NAS TwonkyMedia server.

You can reset Media Receivers list by restart Media Server.

1. Launch WebAccess configuration


You can get [NAS Navigator2] from the following URL.

<http://www.buffalo-technology.com/support/downloads/>

Launch NAS Navigator2


Note: – On Windows, click [start] → [All Programs] → [BUFFALO] → [BUFFALO NAS Navigator2]
→ [BUFFALO NAS Navigator2].

– On Mac OS, double click on [NAS Navigator2] icon in the Dock.



Right click on the LinkStarion icon(or Mac OS click the icon while holding down the control key), select [Open Wev Admin] in the displayed menu.

- Note: – When the total of more than 2 LinkStations and TeraStations are connected on the same network, multiple icons will be displayed. Select the LinkStation you want to display.
- When selecting the LinkStation icon, you can verify individual information of LinkStation such as IP address.




Enter your user name and password, and click [Login].

- Note: – To display the configuration screen, use the following user name and password.

User name: admin


Password : password



2. Restart MediaServer

Click [Extensions] → [MediaServer] → [Modify Settings]


On the configuration screen of Link Station.



Click [Refresh now] → [Initialize database before refresh] and [Save].



Message [saving data.....]



Completed after back to the following display.

